

Serial No.: 10/613,700

Art Unit: 2881

Remarks/Arguments

The specification has been amended to correct a font error. The symbol "?" in paragraph [[31]] as published has been replaced with the Greek letter "Δ".

Claims 1 to 31 are pending and have been allowed. Claims 21 and 25-27 have been amended to correct minor clerical informalities. Specifically, Claims 21 and 25-27 have been amended to properly identify antecedents.

No new matter is being introduced by this amendment.

Entry of this amendment after allowance is earnestly solicited.

Respectfully submitted,

DINSMORE & SHOHL LLP

By: 

James E. Beyer

Registration No. 39,564

DINSMORE & SHOHL LLP

One Dayton Centre,

One South Main St., Suite 1300

Dayton, OH 45402-2023

Tel: 937-223-2050

Fax: 937-223-0724

MZ/lrad
92706-54

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.